
天津科技文献共享服务平台资源介绍

——全球产品样本数据库

天津市科学技术信息研究所



扫描平台二维码了解最新免费活动

- 天津科技文献共享服务平台是天津市科技文献工作大发展的标志性工程，平台于2004年建成，经过建设、应用与发展，取得了显著的应用服务效果。各项能力指标与服务水平位居全国科技文献服务平台第一梯队。平台获得天津市科技进步三等奖，2013年在省级科技文献共享服务平台评价中获得第一名。
- 平台近六年访问总量超过1000万人次。注册用户近8000个。用户范围覆盖我市各级创新机构。




- ❑ **102种全文数据库：**拥有企业产品数据库、产品样本数据库、中外专利、标准、期刊全文、学术会议全文、国家法规、化工信息、读秀学术搜索、超星数字图书馆、国研信息数据库等。
- ❑ **683个外文数据库：**拥有IHS（全球标准网）、EI（美国工程索引）、CA（美国化学文摘）、INSPEC（英国科学文摘）、PA（石油文摘）等。
- ❑ **分析工具：**涵盖Thomson Retour Innovation、TDA、cortellis、Reaxys化学研发分析数据库、IPTECH专利分析工具、M-trends专利分析工具等。
- ❑ **108家国内外资源厂商：**覆盖万方数据、维普资讯、清华同方、国务院发展研究中心信息网、DIALOG、美国化学文摘社、美国科学情报研究所、EBSCO、ELservier、美国生物科学研究所等重要资源提供商。
- ❑ **文献平台中文文献资源覆盖率接近100%；外文文献涵盖90%以上。**

目 录

- 尚唯公司简介
- 什么是产品样本
- 产品样本的历史
- 产品样本的信息内涵
- 产品样本数据库建设的难点
- 产品样本数据库的时代意义
- GPD
 - 收录范围和收录标准
 - 主题标引和分类标引
 - 主要功能特点
 - 主要价值与作用
- 产品举例演示
- 对GPD未来的设想

西南信息产业集团·尚唯信息技术有限公司





什么是产品样本？

简单地说：产品样本=产品资料。



各种各样的产品样本资料



我国产品样本的历史

1978年

中国科学技术信息研究所从成立之初就设有产品样本部。

1965年开始产品样本工作，以收集整理国外产品样本为主。

1998年

80-90年代逐渐形成以中国科学技术信息研究所为主，各省、市情报所为辅的产品样本收集体系。

后来中国科学技术信息研究所依托这个时期收集的产品样本制作了《中国企业.产品数据库》，并由万方数据公司进行销售。

2009年

由于产品样本分布零散，收集整理困难，成本高，90年代后期，大规模的产品样本收集工作逐渐淡出，对产品样本的研究也越来越少。

依靠对国外产品样本的研究，通过模仿，我国生产出了第一台拖拉机，第一辆轿车-红旗.....



产品样本的信息内涵

重要的商贸信息

产品样本能提供这种有关商品的生产与流通信息，诸如企业概况、企业发展史、在本行业中的地位、技术实力、商品开发水平、产品销售能力等，都可以从产品样本中获得。

可靠的科技信息

产品样本文献中介绍的内容常常以图表、数据等信息形式出现，所含信息较科学、准确。产品样本文献又能从性能、用途、特征、参数、型号、品种等多方面来描述某一产品，因此所反映的科技信息较详尽。另外产品样本所描述的产品是科技开发与工程设计的最终成果，所以其信息成熟可靠，生产应用性强。

产品样本的信息内涵


独特的工程资料信息

产品样本中提供的产品图片外观，提供的CAD设计图、3维模型图是新产品开发中工程设计的最新成果，它反映了生产厂家和设计单位的工艺水平。

一定的专利、标准、商标信息

由于产品存在着竞争，产品样本是企业宣传产品的重要手段之一，因而生产厂家十分注重在产品样本上注明可以佐证产品质量及影响的各种信息，如产品的专利申请及获得情况、产品所达到的标准等级、产品的商标、产品获奖情况、产品的销售地域等，因而产品样本往往又是获取专利、标准、商标等情报的重要信息源。

产品样本的信息内涵




产品样本的数据特点

- 数量庞大，行业覆盖广泛，分布零散，涉及生产生活的各个层面。企业面向各自的目标群体发送，没有统一的发行渠道。
- 形式多样，载体丰富，数据不规范。有纸本，光盘，网络等多种载体，有图片、说明书、CAD工程设计图、3维模型图、音/视频资料等。
- 企业根据需要不定期制作样本资料，具有很大的随意性，是非连续出版物。

建设产品样本数据库的难度

产品样本的数据特点

建设产品样本数据库的难度



产品样本数据库的时代意义

□ 从技术引进、代工生产到自主创新：

以有形的实物资源交换发达国家无形的知识和技术资源——市场换技术的潮流

被国际分工分配到一个初级工业品制造加工的生产地位，主要给国际市场提供资源类和简单的机械加工类产品。——世界加工厂

这个时候，企业不需要自己的产品、技术和品牌，生产加工别人的就行了。

但是实物资源有穷尽之时。而无形的知识和技术资源利润更高。因此2005年以来国家逐渐确定了自主创新战略。

产品样本数据库的时代意义

- ❑ 自主创新，就是要拥有自主知识产权的产品、技术和品牌。——不再是代工生产！要研究开发自己的产品和技术，就需要对领域内的其他产品和技术进行研究和学习。
- ❑ 自主创新的主体是企业，高校、公共图书馆、情报所（生产力促进中心）、科研机构是创新能力基础性设施，为国家的自主创新战略提供创新能力的基础性保障。
- ❑ 自主创新有原始创新和集成创新等多种方式。
- ❑ 所谓集成创新是指：通过对各种现有技术的有效集成，形成有市场竞争力的产品或者新兴产业。因此，对现有技术和产品资料的收集、整理和研究，是实现集成式自主创新的必要条件。
- ❑ 可以说，改革开放前，通过对产品样本的研究，模仿生产，我国有了第一台拖拉机、轿车，那么现在，通过对产品样本的大规模收集整理，产品样本情报进入数据库时代，产品样本数据库必将成为我国自主创新战略体系中重要的信息平台 and 科研平台！

目 录

- 尚唯公司简介
- 什么是产品样本
- 产品样本的历史
- 产品样本的信息内涵
- 产品样本数据库建设的难点
- 建设产品样本数据库的时代意义

□ GPD

- 收录范围和收录标准
- 主题标引和分类标引
- 主要功能特点
- 主要价值与作用
- 产品演示
- 对GPD未来的设想

全球产品样本数据库

- 中文名称：全球产品样本数据库
- 英文名称：**Global Product Database**（简称：**GPD**）
- **<http://GPD.sunwayinfo.com.cn>**

- ——我国第一个上规模的、深度建设的产品样本数据库
- ——打造全球供应商系统
- ——建成全球工程技术中心

收录范围和收录标准

- **收录范围：**全球范围内的大型知名企业及其生产销售的产品。将逐渐完整采集世界机械**500**强、《福布斯》全球上市公司**2000**强（只采集工业类企业）、中国工业**500**强、《财富》世界**500**强排行榜（只采集工业类企业）企业及其样本。
- **数据采集规则：**以工业品为主，生活消费品暂时不采集。完整的产品样本包含如下信息：**1、企业信息：**企业名称、国别、企业类型、邮政编码、企业地址、企业邮箱、企业介绍、联系方式、其他联系方式、联系人、企业图片、企业资料。**2、产品信息：**产品名称、中文名称、规格型号、产品介绍、产品分类、产品图片、产品资料、技术资料及其他信息。
- **样本形式：**包含丰富的文字资料、图片信息、PDF文档、CAD设计图、3维模型图、音/视频资料等。

主题标引和分类标引

- ❑ 样本数据的不规范性对标引工作造成相当大的难度。
- ❑ 主题标引实行机器与人工相结合的标引方式。主体思想是标签化，提取关键词。
- ❑ 分类标引将逐渐提供按中图法分类和学科分类等多种方式，目前主要按照常用设备分类法进行入类。

当前数据状况

- **样本总量：** 年底产品样本达到80万件左右，目前已有60.8万件产品样本。
- **样本增量：** 预计每年新增数据量在30-50万件产品左右
- **分类体系：** 分为
 - 通用设备，
 - 专用设备，
 - 交通运输设备，
 - 电气机械和器材，
 - 通信设备、计算机及其他电子设备，
 - 仪器仪表及文化、办公用机械，
 - 材料与物资 等7大类

主要功能特点

- 包含完整的产品样本资源，如企业信息、产品目录、产品信息、产品图片、产品技术文档、CAD设计图、音/视频资料等
- 提供**信息聚类检索**，实现同类产品、同一企业、同一地区的样本聚类，深刻揭示样本之间的关系
- 提供多种检索方式，包含基本检索、高级检索、分类检索、产品导航、企业导航、产品图片导航、产品技术文档导航等，多途径快速找到所需样本数据信息
- 提供**基于机器翻译技术、人工干预后的中英文双语对照功能**，帮助使用者理解和获取样本信息
- 图文并茂，多媒体呈现，简洁美观

主要应用价值

1) 从事产品研究、开发、设计与创新的基础平台：设计师和科研人员通过查阅产品资料，可以了解自己正在设计或研究的产品的进展情况，并可借鉴其它类似产品的设计，还可以为自己设计或研究的产品选用其它厂家生产的零配件，使自己的设计更完美。设计师和科研人员可以直接在**GPD**中直接查询产品的相关图片、技术资料、甚至**CAD**设计图、音视频资料等，深入地掌握产品的外观设计和设计原理，取其精华，去其糟粕，研制开发出新的畅销产品，带来新的利润增长点。

2) 建立竞争情报系统的内容资源之一：企业竞争情报系统能为企业组织和成员评估关键发展趋势，跟踪正在出现的不连续性变化，把握行业结构的进化，以及分析现有和潜在竞争对手的能力和动向，从而协助企业保持和发展竞争优势。全球产品样本数据库（**GPD**）将收录国内外**10**万余家企业信息及其产品资料，已收录**1**万余家**50**余万件产品样本数据，是企业建设竞争情报系统必要的情报资源，能帮助企业了解掌握竞争对手的产品状况，获得竞争优势。

主要应用价值

3) 帮助企业建立全球供应商管理系统：GPD将收录全球企业10万余家，其中世界工业500强企业收录比例达到80%以上，是国内企业进行全球采购的重要信息平台，能帮助企业建立起全球范围的供应商联系，进行全球范围的联系与采购。

4) 帮助中小企业进行产品创新，度过经济危机难关：在当前经济危机形势下，中小企业要求生存，就需要进行产品模仿和创新，开创新产品的销路，才能在经济危机中度过难关。

5) 面向社会大众提供信息服务，丰富人民群众文化生活：随着社会的进步与发展，人们对信息的需求越来越多样化。全球产品样本数据库（GPD）作为国内一种新型的电子信息资源，能满足人民群众对全球产品样本资料的信息需求，充实群众文化内容。

主要应用价值

6) 丰富馆藏资源类型，建设特色馆藏资源：全球产品样本数据库（GPD）是我国第一个全面收录产品样本资料的数据库，目前在图书情报机构收藏的信息资源中，还没有发现有同类资源，最多只是收藏了一些类似企业名录的资源，其内容远远不及GPD丰富和深入。全球产品样本数据库（GPD）丰富了我国信息资源类型，是各个图书情报机构构造合理馆藏资源的必备数据库之一。

7) 老师课堂案例教学，学生了解企业、学习产品知识的资料库：受制于经费，学校的一些教学设备跟不上企业和科研院所，一些新技术等早以在社会上应用了，却在学校的专业课堂上见不到，使学生所学落后于社会所用。通过GPD产品样本数据库，学校可以开展案例教学，使学生了解和掌握新技术、新产品的相关知识，做到学以致用。

目 录

- 尚唯公司简介
- 什么是产品样本
- 产品样本的历史
- 产品样本的信息内涵
- 产品样本数据库建设的难点
- 建设产品样本数据库的时代意义
- GPD
 - 收录范围和收录标准
 - 收录方式
 - 主题标引和分类标引
 - 主要功能特点
 - 主要价值与作用
 - 版权问题
- 产品使用演示
- 对GPD未来的设想

检索区

[分类导航](#) | [产品导航](#) | [图片导航](#) | [企业导航](#) | [产品/技术资料](#)


任意字段

建议输入英文检索词...

检索产品

检索提醒

通用设备



锅炉及辅助设备 | 内燃机 | 汽轮机、燃气轮机 | 水轮机及辅机 |
非电力其他原动机 | 金属切削机床 | 金属成形机床 |
金属其他非切削加工机床 | 机床附件及辅助装置 | [更多](#)

专用设备



采矿专用设备 | 石油钻探、开采专用设备 | 建筑工程用机械 |
建筑材料及制品专用生产机械 | 玻璃、陶瓷制品生产专用设备 |
冶金专用设备 | 炼油、化工生产专用设备 | 橡胶加工专用设备 | [更多](#)

交通运输设备



铁道及电车道用车、车辆及动车组 | 工矿有轨专用车辆 |
铁路机车车辆配件及零件 | 铁路专用设备及器材、配件 | 汽车整车 |

动态公告

MORE

- 同济大宇 已经开通试用
- 四川大学 已经开通试用
- 哈尔滨工程大学 已经开通试用
- 哈尔滨工业大学 已经开通试用
- 宁波韵升高新技术研究 已经开通试用

数据更新

- 收录产品数量 608287 条
- 收录公司数量 8598 条
- 收录产品资讯 83066 条
- 本期更新产品 10875 条
- 新增企业 61 条

公告信息

电气机械及器材



电机 | 发电机组及旋转式变流机 | 电动机 | 家用制冷电器具 |
变压器、整流器和电感器 | 电力电容器及其配套设备 |
配电或电器控制设备 | 电力电子元件 | 电线电缆 | 光纤、光缆 | [更多](#)

通信设备、计算机及其他电子设备



通信传输设备 | 通信交换设备 | 通信终端设备 | 移动通信及终端设备 |
雷达、无线电导航设备 | 广播电视设备 | 电子计算机及其部件 |

分类浏览区

7种检索方式

- ☐ 快速检索
- ☐ 分类导航
- ☐ 产品导航
- ☐ 图片导航
- ☐ 企业导航
- ☐ 高级检索
- ☐ 产品/技术资料中心

快速检索



如图所示，选择要检索的字段入口，在检索框中输入相应的检索表达式，点击 **检索产品** 即可直接得到检索结果。

检索时，输入英文检索词进行检索结果更多更准确。

快速检索结果页面



任意字段

valve

检索产品

☐ 在结果中检索

检索条件：任意字段=valve

共有 24049 项符合条件的结果，当前 1/1203 页

显示方式：

首页 上一页 下一页 末页 跳转到



产品名称：Standard Submersible Petroleum Pump

企业名称：Red Jacket

关键词：Sports Distributed Uniform Drifting Spline Balance Hydraulic Motor Precocious

所属分类：液压泵(回转式排液泵)

入库时间：2009-09-08

产地：美国

产品说明：Features and Benefits

Red Jacket pumping systems are designed to go the distance delivering smooth operation, with less maintenance and a long life.

Features include:

One small assembly contains all functional elements: check valve, air eliminator, expansion relief valve, syphon nozzle and venturi, syphon check valve



产品名称：Meat Merchandiser Display Cases M1X

企业名称：Hussmann

关键词：Temperature Life Box Design Valve Modular Reliability Clean-up Bread

所属分类：冷藏展示柜、商用制冷设备

入库时间：2009-09-08

产地：美国

产品说明：M1X-E Single-Deck Meat

M1X-GE Single-Deck Meat, Glass Front

M1X-XGE Single-Deck Meat, Deeper Merchandising Well, Glass Front

直接输入英文检索词：valve（阀门）
得到的检索结果



产品名称：Engine Brake

企业名称：Jacobs Vehicle Systems

产品说明：Features & Benefits

Automatic controls for easy operation.



● 企业名称： Red Jacket

点击链接进入企业页面

● 关键词： Sports Distributed Uniform Drifting Spline Balance Hydraulic Motor Precocious

● 所属分类： 液压泵(回转式排液泵)

● 入库时间： 2009-09-08

● 产地： 美国

● 详细介绍： Features and Benefits

Red Jacket pumping systems are designed to go the distance delivering smooth operation, with less maintenance and a long life.

Features include:

One small assembly contains all functional elements: check valve, air eliminator, expansion relief valve, syphon nozzle and venturi, syphon check valve and pressure test screw.

Optional Red Jacket Leak Detector fits conveniently in top of pump.

All models fit standard 4" NPT tank openings.

Bayonet-type electrical connector provides a safe explosion-proof electric disconnect without separating wires.

Pressure relief valve and check valve can be isolated to assist in pressure-testing the lines.

Tank-test port and line-test port are conveniently located for serviceability.

Patented design feature directs any manifold assembly leakage into storage tank.

On-winding thermal over-current protector prevents premature motor failure.

Hydraulically balanced impellers "float" on the 16 spline shaft, providing a positive and evenly distributed drive.

60 Hz available in 1/3, 3/4, 1-1/2, X3 (1-1/2)

50 Hz available in 3/4, 1-1/2, and X4 HP - 1-phase or 3-phase

● 相关下载：

[在线查看PDF文档](#)

● 同类产品： Standard Submersible Petroleum Pump

产品样本细览页面

点击后在线浏览PDF文档

同类产品聚类功能

提供基于机器翻译的在线翻译参考功能

GPD 全球产品样本数据库
GLOBAL PRODUCT DATABASE

重庆尚唯公司，您好！欢迎访问全球产品样本库

首 页 | 产品介绍 | 参考标准 | 版权声明 | 检索帮助 | 退出系统

| 分类导航 | 产品导航 | 图片导航 | 企业导航 | 产品/技术资料 |



任意字段

检索产品

☐ 在结果中检索

产品名称：Produce Display Cases C2XX



● 企业名

● 关键

● 所属分

● 入库时

● 产 地

● 详细介绍：

参考译文：

C2X-XGE, C2X-XGEP, C2X-XLGE, C2X-XLE, C2X-XLEP, C2X-XLGE E=Energy 有效的卷, EP=E 正、额外的高效率卷 L=Low 前面, G=Glass 前面优异商业 C2X-X 家庭(55" 高)与 C2X 相比提供高度的大约 7 另外的英寸(48" 高)为另外的商业能力。为 grab-n-go 饭或另外的高边缘的理想准备了象三明治那样的食物选择, 准备色拉, 烘馅饼, 等等。所有影响的更低的精力费用胜过 C2X-X 盒子与有效 "E" 作为标准卷的精力来。超级有效电子 Plus 卷是选择性地可得到的。优异的架生活模块化的卷和离开时间除去减少热吃凉并且稳定产品温度的工作, 导致更好的新颖和更长的架生活。模块化除去, 可选, 能进一步稳定温度。更低的劳动费用劳动节省特征在盒子, 没有在盒子的底部的卷的 easy-to-clean 澡盆底部, 可调节的英尺, 更容易的水沟存取, 2' 蜂房节和更多下面包括更大的清理。优异可靠性我们的 5 年模块化的卷保证是可得到的最好。预设扩大阀门被设计在整个盒子的生活保持最佳的温度。

GPD

×

C2X-XGE, C2X-XGEP, C2X-XLGE, C2X-XLE, C2X-XLEP, C2X-XLGE

E=Energy Efficient Coil, EP=E Plus, Extra High Efficiency Coil

L=Low Front, G=Glass Front

Superior Merchandising

The C2X-X family (55" tall) provides about 7 additional inches of height compared to the C2X (48" tall) for additional merchandising capacity. Ideal for grab-n-go meals or other high margin prepared food selections such as sandwiches, prepared salads, pizza, etc.

Lower Energy Costs

All Impact Excel C2X-X cases come with energy efficient "E" coils as standard. Super efficient E-Plus coils are optionally available.



p.579.pdf

p.img578.pdf

p.img579.pdf

p.img580.pdf

p.img581.pdf

p.img582.pdf

p.img583.pdf

p.img586.pdf

p.img587.pdf

p.img588.pdf

p.img589.pdf

p.img590.pdf

p.img591.pdf

p.img592.pdf

p.img593.pdf

p.img594.pdf

p.img595.pdf

p.img596.pdf

p.img597.pdf

p.img586.pdf



FIGURE 1: 4" Submersible Pump mounted in a single wall tank





FIGURE 2: 6" Big-Flo Pump mounted in a single wall tank



Contact Red Jacket Industrial Products Technical Support at 1-800-262-7539 with questions.



Marley Pump
A United Dominion Company

500 E. 59th Street • Davenport, IA 52807 • 319-391-8600

Marley Pump reserves the right to make design improvements and pricing modifications as necessary and without notice.

©1994 Marley Pump

Printed in USA

RJ 23-25 3/97*



分类导航

| 分类导航 | 产品导航 | 图片导航 | 企业导航 | 产品/技术资料 |



任意字段

建议输入英文检索词...

检索产品

检索提醒

您的位置：

导航结果

分类体系

- 材料与物资 (55631)
- 通用设备 (138800)
- 专用设备 (23180)
- 交通运输设备 (8782)
- 电气机械及器材 (86215)
- 通信设备、计算机及其他电子设备 (194477)
- 仪器仪表及文化、办公用机械 (59511)
- 工业自动化控制系统与仪器仪表装置 (8683)
- 电工仪器仪表 (2594)
- 绘图、计算及测量仪器 (770)
- 工业过程测量仪表 (7952)
- 分析仪器及装置 (7142)
- 试验机械及其他检测仪器 (4802)
- 供应用仪表 (92)
- 环境监测专用仪器仪表 (1866)
- 汽车及其他用计数仪表 (201)
- 导航仪器及装置 (2980)

共有 608287 项符合条件的结果，当前 1/60829 页

首页 上一页 下一页 末页 跳转到



产品名称：Water Specialties Propeller Flowmeter

企业名称：McCrometer

关键词：Flow Exact Traveling Wave Solutions Standard Parts Longevity Design Prove Quality construction Water flow

所属分类：流量测量仪表

入库时间：2009-09-08

产地：美国



产品名称：Conventional Rotary Servomotors AKM Series

企业名称：Danaher motion

关键词：Recognition Driving Costs The best performance Coil Optimization Match Key refers to shrimp Branch Framework

所属分类：电动机

入库时间：2009-09-08

产地：美国



产品名称：Surgical Microscope Leica HM500

企业名称：LEICA MICROSISTEMS

关键词：Lighting Shadow Workspace Output Distance Metal Halide Lamps Coaxial Glasses Variable

所属分类：显微镜



- + 材料与物资 (55631)
- + 通用设备 (138800)
- + 专用设备 (23180)
- + 交通运输设备 (8782)
- + 电气机械及器材 (86215)
- + 通信设备、计算机及其他电子设备 (194477)
- + 仪器仪表及文化、办公用机械 (59511)
 - + 工业自动控制系统与仪器仪表装置 (8683)
 - + 电工仪器仪表 (2594)
 - + 绘图、计算及测量仪器 (770)
 - + 工业过程测量仪表 (7952)
 - + 分析仪器及装置 (7142)
 - + 试验机械及其他检测仪器 (4802)
 - + 供应用仪表 (92)
 - + 环境监测专用仪器仪表 (1866)
 - + 汽车及其他用计数仪表 (201)
 - + 导航仪器及装置 (2980)
 - + 农林牧渔专用仪器仪表 (24)
 - + 地质勘探和地震专用仪器 (191)
 - + 教学专用仪器 (4993)
 - + 核子及核辐射测量仪器 (132)
 - + 电子测量仪器 (2135)
 - + 纺织及其他专用测试仪器 (2)
 - + 钟表与计时仪器 (155)
 - + 光学仪器、零件及附件 (2404)
 - + 眼镜、框架及零配件 (112)
 - + 电影机械 (0)
 - + 照相机及器材 (257)
 - + 照相及电影洗印设备 (9)
 - + 摄影机及附件 (2)

□采用国家统计局提供的常用设备分类法进行分类标引

□总共7个一级分类，193个二级分类，1038个三级分类目录

□检索时，可逐层展开查看相应类别下的产品样本，每个类别后面的数字表明当前数据库中收录的产品样本数量。

按产品导航的页面

- 材料与物资(55631)
- 通用设备(138800)
- 专用设备(23180)
- 交通运输设备(8782)
- 电气机械及器材(86215)
- 通信设备、计算机及其他电子设备(194477)
- 仪器仪表及文化、办公用机械(59511)

检索条件：

共有 **608287** 项符合条件的结果，当前 **1/30415** 页

显示方式：  

首页 上一页 下一页 末页 跳转到 



产品名称： Water Specialties Propeller Flowmeter

企业名称： McCrometer

关键词： Flow Exact Traveling Wave Solutions Standard Parts Longevity Design Prove Quality construction Water flow

所属分类： 流量测量仪表

入库时间： 2009-09-08

产地： 美国

产品说明： The Water Specialties Propeller Meter is the best choice for measuring clean water flows in municipal and industrial applications. The meter is engineered to deliver superior performance, low maintenance and unsurpassed durability. Meter materials and performance meet or exceed AWWA standard C704/92. Water Specialties Propeller Meters are manufac.....

产品样本按入库时间进行排序



产品名称： Conventional Rotary Servomotor AKM Series

企业名称： Danaher motion

关键词： Recognition Driving Costs The best performance Coil Optimization Match Key refers to shrimp Branch Framework

所属分类： 电动机

入库时间： 2009-09-08

产地： 美国

AKM brushless servomotors provide unprecedented choice and flexibility with a wide range of standard products allowing the engineer to select the best servomotor optimized for their specifications. With 26,000 standard models available, AKM high performance servomotors offer a wide range of mounting, connectivity, speed, feedback and other options. AKM motors deliver smooth.....

按图片导航的页面

所有分类

- 材料与物资(55631)
- 通用设备(138800)
- 专用设备(23180)
- 交通运输设备(8782)
- 电气机械及器材(86215)
- 通信设备、计算机及其他电子设备(194477)
- 仪器仪表及文化、办公用机械(59511)

检索条件：

共有 **608287** 项符合条件的结果，当前 **1/30415** 页

显示方式：  

首页 上一页 下一页 末页 跳转到  



Water Specialties Propeller Flowmeter



Conventional Rotary Servomotors AKM Series



Surgical Microscope Leica HM500



Servo Drive SAM



FIXED & ROTARY WING



Light Microscopes Leica MM AF



Fully Automated Rotary Microtome Leica RM2255



Standard Submersible Petroleum Pump



Conventional Rotary Servomotors B Series



Light Microscopes Leica DM6000 B



AC Servo Drives S200



Servo Drive PAM ISA



Electric Cylinders EC Series



LARGE & SMALL TURBINE ENGINES



Main Ship Batteries

企业导航



进入亚洲国家页面

您的位置：企业导航->亚洲



阿联酋 (2)



韩国 (51)



黎巴嫩 (1)



马来西亚 (6)



日本 (283)



泰国 (6)



新加坡 (7)



伊朗 (1)



以色列 (33)



印度 (47)



印尼 (1)



越南 (1)



中国 (305)

中国企业名录 (数量较少, 以收录国外产品样本为主, 这里仅以中国举例)

检索条件: 国别=中国

共有305项符合条件的结果, 当前 1/16 页

[首页](#)
[上一页](#)
[下一页](#)
[末页](#)
[跳转到](#) [▶](#)

企业名称	所属国家	地址	联系电话	企业所有产品
 ABB Robotics ▶ 《财富》世界500强企业 ▶ 世界机械500强企业	中国		+86 0000	查看企业所有产品
 ABB Oy Distribution Automation ▶ 《财富》世界500强企业 ▶ 世界机械500强企业	中国	Universal Plaza, 10 Jiuxianqiao Lu Chaoyang District Beijing 100016, P.R.China	+001 8610 84566688 Ext 2208 +001 8610 84567624	查看企业所有产品
 Chint ▶ 世界机械500强企业	中国 浙江省	浙江省乐清市柳市镇工业区正泰大楼	+86-577-62777777	查看企业所有产品
 China National Heavy Duty Truck Group	中国		Tel:(852) 2810 8911 Fax:(852) 2810 8982	查看企业所有产品
 Weichai Power Co.Ltd.	中国	26 Minsheng Rd., Weifang city, Shandong province	TEL: 86-0536-8197777 FAX: 86-0536-8231074	查看企业所有产品
 KAFO	中国台湾	No.3, Lane 128, Section 1, Chung Chin Road, Ta-Ya, Taichung, Taiwan, R.O.C.	Tel: 886-4-25662116 Fax: 886-4-25671001	查看企业所有产品
 China International Marine Container (Group) Co.Ltd.	中国	No.2 Gangwan Avenue, Shekou Industrial Zone, Shenzhen, P.R.C.	Tel: (86755)2669-1130 Fax: (86755)2682-6579 2681-3950	查看企业所有产品
SHANGHAI NEW			TEL: +86-021-55584500	

企业
详细
信息

● 企业地址:

● 所属国家: 中国

● 详细介绍:

The headquarters of China National Heavy Duty Truck Group Co., Ltd. (CNHTC) is located in Jinan city, Shandong Province, P. R. China. It is the cradle and leading production base of the heavy-duty truck industry in China. It is famous for developing and manufacturing the first heavy duty truck -- "HUANGHE" brand vehicle model JN150 in China, for successful introducing the "STEYR" heavy duty truck production project, and for setting up a joint venture with VOLVO to manufacture the heavy duty trucks with up-to-date international level.

CNHTC was founded on the basis of Jinan Automobile Works (JAW). JAW was founded in 1935, and mainly manufactured spare parts of trucks. It started developed and manufactured heavy-duty truck in 1956 and became a manufacturer of heavy-duty truck in China. -- "HUANGHE" brand vehicle model JN150 with payload 8 tons in April 1963, ended the history that heavy-duty truck cannot be manufactured in China. Chairman Mao Zedong visited this sample truck when he surveyed Jinan on April 4th, 1963. Commander Zhude signed the name of "HUANGHE" for this truck. Since then, CNHTC manufactured several hundred thousand units of heavy-duty trucks, made an important contribution to the developing of civil economy.

At present, CNHTC has Jinan Truck Co., Ltd., Jinan Commercial Vehicle Co., Ltd., Jinan Power Co., Ltd., Jinan Axle Co. Ltd., Jinan Special Vehicle Co., Ltd., Jinan Bus Co., Ltd, and Huawo Truck Co., Ltd. in Jinan Area for manufacturing and assembling of truck CBU, manufacturing and processing of engine, axle, gearbox, wheel, propeller shaft, cab trimming, seat and so on components and parts, and producing and manufacturing task of bus and special vehicle. In Shandong Area, there are Qingdao Special Vehicle Company, Taian Wuyue Special Vehicle Company, Jining Refitting Vehicle Company and Jinan Park Machine Company for manufacturing of special trucks and refitting trucks. Out of Shandong, there are Hangzhou Truck Engine Works of Jinan Power Co., Ltd., Chongqing Fuel Pump & Nozzle Factory and so on. The Technical Development Center at the Jinan headquarters, which is a state level enterprise technical center, supplies powerful technical support for the R & D of CNHTC's products. Besides, CNHTC also has been managing subsidiaries such as real estate company, import & export company, Hong Kong company, finance company, Xinhai vouching company, and property management company etc. CNHTC also possesses a listed company, namely, A stock "CNHTC".

In Jan. 18th, 2001, through a number of reforms and restructures, CNHTC has built a new corporate system and made the company operate actively.

Tel:(852) 2810 8911

● 联系方式: Fax:(852) 2810 8982

hongkong@cnhtc.cn

● 企业网址: www.cnhtc.com.cn


● 相关下载: 081107.rm



更多PDF文档展示

这个PDF文档有104页

p.2_20080111_170443_6148397_
p.2_20080111_171242_6196283_
p.2_20080114_183452_6689246_
p.2_20080117_183103_6666359_
p.2_20080117_183303_6678395_
p.2_20080117_183604_6696494_
p.2_20080117_183809_6708975_
p.2_20080117_184916_6775636_
p.2_20080117_185835_683158_p
p.2_20080117_190117_6847786_
p.2_20080117_190454_686943_p
p.2_20080117_192437_6987786_
p.2_20080117_193529_7052927_
p.2_20080123_051144_1870456_
p.2_20080128_125631_4659152_
p.2_20080128_125818_4669833_
p.2_20090827_18235654.pdf



这个产品有
179个文档

p.24509_26.pdf

p.24509_27.pdf

p.30100_02.pdf

p.30103_03.pdf

p.30110_01.pdf

p.30110_06.pdf

p.30110_07.pdf

p.30110_09.pdf

p.30110_12.pdf

p.30110_17.pdf

p.30110_19.pdf

p.30110_23.pdf

p.30110_25.pdf

p.30110_27.pdf

p.30110_29.pdf

p.30110_31.pdf

p.30110_33.pdf

p.30110_35.pdf

p.30110_37.pdf

p.30110_41.pdf

p.30110_43.pdf


p.30110_45.pdf

p.30110_47.pdf



(#3). The bearing area should be flushed out with water. Pulling lightly, slide the propeller assembly off the support spindle (#4). If the propeller assembly does not come off with only minimal force, loosen the set screw (#1) another thread or two then try again.


2. [fig. 2 and 2.1] CERAMIC BEARING CARTRIDGE (#9), drive magnet (#8), and drive magnet retaining plate (#7) must be removed in order to replace the standard reverse thrust bearing cartridge (#14) with the threaded reverse thrust bearing cartridge. Remove the ceramic bearing cartridge retaining screw (#5). Remove the drive magnet retaining plate mounting screws (#6). Pull the drive magnet retaining plate (#7) and drive magnet (#8) out of the propeller.



[Figure 2.1]

Loosen the nylon point


set screw (#2) holding the thrust bearing cartridge (#3). If the thrust bearing cartridge was removed in the previous step, it must be reinstalled in the nose of the propeller at this time. Thread the thrust bearing cartridge (#3) into the propeller until it contacts the reverse thrust bearing cartridge (#14). Continue to thread the thrust bearing cartridge into the propeller until the ceramic thrust bearing cartridge and reverse thrust bearing cartridge are pushed out the back of the propeller.



[Figure 2]

Ceramic bearing cartridge (#9) and drive magnet (#8) should be cleaned of any foreign material and inspected for damage. Using a bottle brush, thoroughly clean the inside of the ceramic bearing cartridge (#9) and the magnet inside diameter (#8). After cleaning the propeller, flush the inside out with water. The outside surfaces of the propeller should also be cleaned to assure a smooth, unrestricted flow across the surface of the propeller. Do not use an oil-based solvent in cleaning, as damage to the assembly could occur.

3. [fig. 3] SEPARATOR & SPINDLE ASSEMBLY (#10) must be removed by removing the four mounting screws (#11) which thread into the gearbox/drop pipe. Separator o-ring (#13), included with the conversion kit, should be covered with a thin coat of silicone grease. The new one piece separator/support spindle assembly (#12) can then be installed in the front of the gearbox/drop pipe with a firm push, gently rotating the assembly at the same time. Replace and tighten the four separator



[Figure 3]



一个关于显微镜的产品样本资料内容

p.071009_leica_biotechnica_en.doc

p.analytica_250406_en.doc

p.leica_tcs_spe_brochure_en.pdf

p.leica_tcs_spe_brochure_technical

p.microscienceimaging_5.pdf

p.microscienceimaging_6.pdf

p.sp5_diagram.pdf

p.spe_diagram.pdf

p.spe_imaging_and_microscopy_ap

p.spe_shiyakutable.pdf




not have the penetration depth of MRI, we have much better spatial and time resolutions at a much lower cost," states Xie.

Harvard University's Office of Technology Development (OTD) and Leica Microsystems announced on May 15, 2007 that Harvard has licensed its CARS microscopy technology to Leica for use in the company's confocal microscopes. "This technology has far-reaching implications for helping advance important biomedical research," states Isaac T. Kohlberg, Chief Technology Development Officer, Harvard University. "Our agreement with Leica Microsystems is aligned with our strategy to partner with the best and most expert companies who, like us, are dedicated to excellence and quality."




with the fluorescent tissue. Recording of fluid dynamic movies is then only one click away. An exceptional full-field frame rate ensures high image stability as well as smooth, precise positioning of the field of view. The microprobe can be handheld, or combined to a micromanipulator or stereotaxic apparatus. From instrument setup to image acquisition and data analysis, the system is designed to be easy to use.


All of this is accomplished with the Leica FCM1000 Fiber-optic Confocal Microscope. This technology, formerly known as Cellvisio® from Mauna Kea, bridges the gap between whole animal systems and intra-vital microscopes and is the first imaging solution developed for – and fully adapted to – *in vivo* and *in situ* small animal imaging.




Subcutaneous Tumor




Peripheral Nerve




Deep Brain



Cornea



Nerve Terminals



举例一：

- 背景：我是一名即将毕业的学生，正在找工作，想去应聘思科公司的工作岗位，因此我需要了解思科公司和思科公司的产品。
- 检索需求：了解思科公司和思科公司的产品，学习思科公司的产品知识，以便应聘的时候用得上，给面试官留下深刻印象。

检索过程

- ❑ 在百度或者google里面搜索思科，进入思科公司的网站主页，去了解思科公司。
- ❑ 在《全球产品样本数据库》中选择“公司名称”检索入口，输入cisco，检索出思科公司的产品，点击进入某个具体产品，能详细了解和学习cisco公司的产品知识。

GPD中也提供了cisco公司的网址信息，可以点击登录查看。

企业名称：Cisco

《财富》世界500强企业
世界机械500强企业

显示语言：E 中

企业标徽：



企业地址：

170 West Tasman Dr.San Jose, CA 95134 USA

所属国家：

美国

详细介绍：

This report documents Cisco's corporate social responsibility (CSR) efforts. It sets forth our CSR philosophy and describes the progress we have made in initiatives directed at improving the health, welfare, and sustainability of our business and the communities where we operate worldwide.

We have prepared the report using the current Global Reporting Initiative guidelines and the United Nations Global Compact. It incorporates data and feedback received from our employees, shareholders, customers, and the many private, government, and nongovernmental organizations with which we partner.

联系方式：

tel:(408)526-4000
(800)553-6387

企业网址：

www.cisco.com/

Cisco公司网址

在GPD中选择“公司名称”这一检索入口，输入cisco，得到系列产品检索结果。



公司名称

cisco

检索产品

☐ 在结果中检索

检索条件：公司名称=cisco

共有 33 项符合条件的结果，当前 1/2 页

显示方式：

首页 上一页 下一页 末页 跳转到



产品名称：Cisco Wireless Location Appliance

企业名称：Cisco

▶ 《财富》世界500强企业

▶ 世界机械500强企业

关键词：cisco wireless location appliance

所属分类：

入库时间：2009-04-28

产地：美国

产品说明： The Cisco? Wireless Location Appliance is part of the Cisco Location Solution, the industry's first location solution that simultaneously tracks thousands of 802.11 wireless devices from directly within a WLAN infrastructure, increasing asset visibility and control of the RF environment. Ad.....

产品名称：Cisco Aironet 1200 Series Access Points

企业名称：Cisco

▶ 《财富》世界500强企业

▶ 世界机械500强企业

关键词：cisco aironet 1200 series access points

所属分类：

入库时间：2009-04-28

产品说明： Cisco? Aironet? 1200 Series access points deliver the investment protection, versatility, and enterprise-class features demanded by wireless LAN customers. It is designed specifically for challenging environments like factories, warehouses, and large retail establishments that require the an.....

点击某一个cisco的产品，进入该产品详细的信息页面，再点击“在线查看PDF文档”，可以在线查看该产品的资料信息。



● 企业名称： Cisco [《财富》世界500强企业](#) [世界机械500强企业](#)

● 关键词： cisco aironet 1100 series access point

● 所属分类：

● 入库时间： 2009-04-28

● 产地： 美国

● 详细介绍： The Cisco® Aironet® 1100 Series Access Point provides a high-speed, secure, affordable, and easy-to-use wireless LAN solution that combines the freedom and flexibility of wireless networking with the features and services required in enterprise networks (Figure 1). The Cisco Aironet 1100 Series uses radio and network management features for simplified deployment, along with integrated diversity dipole antennas that provide robust and predictable WLAN coverage for offices and similar RF environments. The access point offers flexibility and investment protection for wireless networks.

● 相关下载：

[在线查看PDF文档](#)

在线浏览该产品详细的技术资料信息。学习其产品知识，以便应聘的时候给面试官留下深刻印象。



举例二：

- ❑ 我是一位老师，需要找到一台压缩机的完整信息，以便在教学过程以这台压缩机为案例进行教学，我该到哪里找？
- ❑ 检索需求：找到关于压缩机的完整信息，包括外观图，工作原理图，性能参数等相关信息。

检索过程

- ❑ 进入《全球产品样本数据库》，输入压缩机检索词，检索出产品结果，打开产品详细信息页面，点击“在线查看PDF文档”打开该压缩机的详细资料信息，就可以获得案例教学需要的所有信息。

在检索框中输入压缩机，得到5376项检索结果。



任意字段

压缩机

检索产品

☐ 在结果中检索

检索条件：任意字段=压缩机

共有 5376 项符合条件的结果，当前 1/269 页

显示方式：

首页 上一页 下一页 末页 跳转到



产品名称： Variable Speed AC Drives
ERCFW09 Series

企业名称： Eurotherm

关键词： Software Download Play-free-line
Set Software Download Elevator
Business Table Single weft

所属分类： 配电或电器控制设备

入库时间： 2009-09-23

产地： 英国

产品说明： The Vectrue Technology control represents a significant advancement, enabling this new generation of Eurotherm inverters to combine V/F, Sensorless Vector and Closed Loop Vector (with encoder) control techniques, all in one product.

Vectrue Technology control was developed for variable speed applications with three



产品名称： Variable Speed AC Drives
ERCFW11 Series

企业名称： Eurotherm

关键词： Software Download Resistors
Torque Operation Performance
Energy Karaoke Innovation
Technology Apply

所属分类： 配电或电器控制设备

入库时间： 2009-09-23

产地： 英国

产品说明： Power Rating 1.1-30kW/ 1.5-40 HP 200-240V(Single phase up to 3hp/2.2kW) or Three-Phase 2 to 60hp / 1.5 to 45kW 380-480V
ERCFW-11M up to 1900kW/2500HP air cooled or 2100kW/2800HP water cooled
Plug and play option modules
Standard Soft PLC with PLC and Function Block(ladder) programming fo.....



点击第二个检索结果，进入该产品的详细浏览页面，点击下方
的“在线查看PDF文档”，即可在线获取该压缩机相关的资料信
息。

产品名称： Variable Speed AC Drives ERCFW11 Series

显示语言： 推荐首页显示




- 企业名称： Eurotherm
- 关键词： Software Download Resistors Torque Operation Performance
Energy Karaoke Innovation Technology Apply
- 所属分类： 配电或电器控制设备
- 入库时间： 2009-09-23
- 产地： 英国
- 详细介绍：
 - Power Rating 1.1-30kW/ 1.5-40 HP 200-240V(Single phase up to 3hp/2.2kW) or Three-Phase 2 to 60hp / 1.5 to 45kW 380-480V
 - ERCFW-11M up to 1900kW/2500HP air cooled or 2100kW/2800HP water cooled
 - Plug and play option modules
 - Standard Soft PLC with PLC and Function Block(ladder) programming for advanced functionality
 - Standard IGBT Brake switch on all Models
 - Multi language support
 - Safety stop feature in compliance with EN 954-1, Category III
 - Versatile communication support
 - Standard Memory module for parameter/program storage
 - Large number of Analogue and Digital I/O for system ingration
 - Internal DC choke standard
 - Internal EMC-filter (option)
 - Standard USB port for Programming/Monitoring

● 相关下载：

[在线查看PDF文档](#)

在线浏览该产品的详细资料信息





Key for scrolling through menus and parameters and for modifying parameter content

Left soft-key:
function
defined by the
display

Right soft-key:
function
defined by
the display

Selection of
Rotation
Direction


Start key

Local/Remote

Stop key



该资料中能获取的各种各样的信息资料



Supply voltage: 200-240V





Type of Duty										Model	Frame Size	Weight (kg)
Normal Overload					Heavy Overload							
Motor Power		Output Current (A)			Motor Power		Output Current (A)					
HP	KW	Rated	60 sec.	3 sec.	HP	KW	Rated	60 sec.	3 sec.			
Single-phase supply												
3	2.2	10	11	15	3	2.2	10	15	20	ERCFW11 0010 S 2	A	6.1
Single-phase or Three-phase Supply												
1.5	1.1	6	6.6	9	1	0.75	5	7.5	10	ERCFW11 0006 B 2	A	5.7
2	1.5	7	7.7	10.5	2	1.5	7	10.5	14	ERCFW11 0007 B 2	A	5.7
Three-phase Supply												
2	1.5	7	7.7	10.5	1.5	1.1	5.5	8.3	11	ERCFW11 0007 T 2	A	5.7
3	2.2	10	11	15	2	1.5	8	12	16	ERCFW11 0010 T 2	A	5.7
4	3	13	14.3	19.5	3	2.2	11	16.5	22	ERCFW11 0013 T 2	A	6.1
5	3.7	16	17.6	24	4	3	13	19.5	26	ERCFW11 0016 T 2	A	6.3
7.5	5.5	24	26.4	36	6	4.5	20	30	40	ERCFW11 0024 T 2	B	9.1
10	7.5	28	30.8	42	7.5	5.5	24	36	48	ERCFW11 0028 T 2	B	9.1
12.5	9.2	33.5	36.9	50.3	10	7.5	28	42	56	ERCFW11 0033 T 2	B	9.1
15	11	45	49.5	67.5	12.5	9.2	36	54	72	ERCFW11 0045 T 2	C	18.9
20	15	54	59.4	81	15	11	45	67.4	90	ERCFW11 0054 T 2	C	18.9
25	18.5	70	77	105	20	15	56	84	112	ERCFW11 0070 T 2	C	18.9
30	22	86	94.6	129	25	18.5	70	105	140	ERCFW11 0086 T 2	D	32.5
40	30	105	115.5	157.5	30	22	86	129	172	ERCFW11 0105 T 2	D	32.5

- ❑ 除了以上举例到的两种需求外，GPD还能满足应用性研究需求，零配件采购需求等。这里就不再一一举例。
- ❑ 另外，GPD中除了有PDF文档外，还有CAD工程设计图，三维模型图以及关于产品的音频/视频资料等。




产品CAD工程设计资料样例

PC1-6kg-10kg-15kg-30kg-50kg-75kg-100kg



通过3DMAX打开的三维模型图



用户名单

□ 高校

- 清华大学 重庆大学 西华大学 上海理工大学
- 浙江大学 中国地质大学 湖北大学 湖北工业大学
- 长安大学 大连理工大学 西安科技大学 北京理工大学.....

□ 情报所

- 陕西省情报所 福州市情报所 湖北省情报所
- 辽宁省情报所 绵阳市情报所 四川省情报所.....

□ 公共图书馆

- 上海图书馆 大连图书馆 沈阳市图书馆
- 珠海市图书馆 东莞图书馆 国家图书馆.....

□ 科研院所、企业

- **57所** 中国核动力研究院 沈阳华润三洋压缩机有限公司
- 中国科学院沈阳自动化研究所 中国电力科学院.....

对GPD未来的设想

- 打造全球供应商系统
- 建设成全球工程资料中心
- 实现与专利、标准、中外文期刊文献的漫游链接

全球供应商系统

- 将收录全球10万余家企业信息
- 收录10万余家企业供应的产品名录
- 企业信息包含企业概况、企业发展史、在本行业中的地位、技术实力、商品开发水平、产品销售能力等，以及企业的营销网点，详细联系方式等信息。
- 未来，不仅能从GPD中获取供应商信息，也能获取采购信息。——供销系统

全球工程资料中心

- ❑ 将收录10万余家企业的500万件产品样本资料
- ❑ 收录产品技术资料、CAD工程设计图、产品外观造型设计图等，打造一个全球性的工程技术开发中心。
- ❑ 未来，GPD可能将成为工程技术人员从事产品设计与开发工作所使用的重要工具平台。

文献平台全新上线

注册免费用

全新页面

全新功能

全新体验

天津科技技术信息研究所信息中心

联系电话: 022-23532904-800/806/824/825

传真: 022-23519150

网址: www.linkinfo.com.cn

GPD 全球产品样本数据库
GLOBAL PRODUCT DATABASE



科技部西南信息中心
INFORMATION TECHNOLOGY CENTER

扫描平台二维码了解最新免费活动

企业竞争情报平台

全面、及时、精准

政府公共科技信息服务门户

企业竞争情报系统

杀手锏产品监测平台

领军型企业聆听系统

集团知识管理门户